

Lightweight, telescopic masts with attached tripod for directional or omni-directional headloads

FT masts are typically field masts derived from the well-known QT mast range.

Easy and quick to deploy, manually or with handpump and supported with three foldable legs which are permanently attached to the mast.



Technical Details

Silent, smooth and easy operation



PHOTO SHOWS CSFT-R3-3/H MAST (MANUALLY EXTENDED)

The features that have made it such an attractive and useful piece of equipment are :

1. Aluminium alloy sections
2. Handpump (not for manually extended masts)
3. Field base
4. Leg clamp
5. Air-release screw (not for manually extended masts)
6. Section-clamping screws
7. Guy collar
8. Turning Collar
9. Quick-clamp for headload




PHOTO SHOWS CSFT-R6-6/HP MAST

Standard FT Mast Range

Non-Rotatable FT Mast Range (extended with handpump)

3" / 76,2mm BASE TUBE

Mast Model	Cat. No.	Retracted Height	Extended Height	Standard Finish	Max. Headload	Mast Guying Kit Cat. No.
3 section masts						
SFT3-3/HP	27674	1,40 m	3,25 m	yellow paint	20,0 kg	33530/SG
4 section masts						
SFT4-4/HP	27676	1,45 m	4,15 m	yellow paint	20,0 kg	33531/SG
5 section masts						
SFT5-5/HP	27680	1,45 m	5,10 m	yellow paint	15,0 kg	33532/SG
6 section masts						
SFT6-6/HP	27685	1,50 m	6,05 m	yellow paint	10,0 kg	33533/SG
SFT9-6/HP	27696	2,05 m	8,80 m	yellow paint	10,0 kg	33536/SG
SFT10-6/HP	27700	2,30 m	10,00 m	yellow paint	10,0 kg	33537/SG
7 section masts						
SFT7-7/HP	27688	1,55 m	6,95 m	yellow paint	6,0 kg	33534/SG
SFT11-7/HP	27704	2,20 m	11,05 m	yellow paint	4,5 kg	33538/SG
8 section masts						
SFT8-8/HP	27692	1,60 m	7,90 m	yellow paint	4,5 kg	33535/SG
SFT12-8/HP	27708	2,10 m	11,60 m	yellow paint	2,5 kg	33539/SG

Rotatable FT Mast Range (extended with handpump)

3" / 76,2mm BASE TUBE

Mast Model	Cat. No.	Retracted Height	Extended Height	Standard Finish	Max. Headload	Mast Guying Kit Cat. No.
3 section masts						
CSFT-R3-3/HP	27886	1,45 m	3,30 m	natural anodised	20,0 kg	33720/SG
4 section masts						
CSFT-R4-4/HP	27888	1,50 m	4,20 m	natural anodised	20,0 kg	33721/SG
5 section masts						
CSFT-R5-5/HP	27892	1,55 m	5,10 m	natural anodised	15,0 kg	33722/SG
6 section masts						
CSFT-R6-6/HP	27896	1,60 m	6,05 m	natural anodised	10,0 kg	33723/SG
CSFT-R9-6/HP	27908	2,05 m	8,80 m	natural anodised	10,0 kg	33726/SG
CSFT-R10-6/HP	27912	2,35 m	10,05 m	natural anodised	10,0 kg	33727/SG
7 section masts						
CSFT-R7-7/HP	27900	1,60 m	7,00 m	natural anodised	6,0 kg	33724/SG
CSFT-R11-7/HP	27916	2,30 m	11,05 m	natural anodised	4,5 kg	33728/SG
8 section masts						
CSFT-R8-8/HP	27904	1,65 m	7,95 m	natural anodised	4,5 kg	33725/SG
CSFT-R12-8/HP	27920	2,15 m	11,60 m	natural anodised	2,5 kg	33729/SG

Rotatable FT Mast Range (manually extended)

3" / 76,2mm BASE TUBE

Mast Model	Cat. No.	Retracted Height	Extended Height	Standard Finish	Max. Headload	Mast Guying Kit Cat. No.
3 section masts						
CSFT-R3-3/H	27960	1,45 m	3,05 m	natural anodised	10,0 kg	33720/SG
4 section masts						
CSFT-R4-4/H	27962	1,45 m	4,05 m	natural anodised	10,0 kg	33721/SG
5 section masts						
CSFT-R5-5/H	27964	1,50 m	5,05 m	natural anodised	10,0 kg	33722/SG
6 section masts						
CSFT-R6-6/H	27966	1,55 m	6,00 m	natural anodised	10,0 kg	33723/SG

FT Masts Mounting Accessories

FT Mast Guying Kits

For all FT Series masts is a Mast Guying Kit available consisting of Spikes, Canvas Top Cover, Pickets, Hammer, Radius Line, Top guys + Middle Guys (if applicable) and Accessory Bag.



FT Mast Carrying Bags

The FT Series masts are also available with an optional carrying bag to simplify transport or just for protection of the stored mast.

FT Mast Carrying Bags for non-rotatable masts (extended with handpump)

Carrying Bag Models	Cat. No.
SFT3-3/HP Bag	30220/SG
SFT4-4/HP Bag	30220/SG
SFT5-5/HP Bag	30221/SG
SFT6-6/HP Bag	30222/SG
SFT9-6/HP Bag	30225/SG
SFT10-6/HP Bag	30228/SG
SFT7-7/HP Bag	30222/SG
SFT11-7/HP Bag	30227/SG
SFT8-8/HP Bag	30223/SG
SFT12-8/HP Bag	30226/SG

FT Mast Carrying Bags for rotatable masts (extended with handpump)

Carrying Bag Models	Cat. No.
CSFT-R3-3/HP Bag	30221/SG
CSFT-R4-4/HP Bag	30222/SG
CSFT-R5-5/HP Bag	30222/SG
CSFT-R6-6/HP Bag	30223/SG
CSFT-R9-6/HP Bag	30225/SG
CSFT-R10-6/HP Bag	30228/SG
CSFT-R7-7/HP Bag	30224/SG
CSFT-R11-7/HP Bag	30228/SG
CSFT-R8-8/HP Bag	30224/SG
CSFT-R12-8/HP Bag	30226/SG

FT Mast Carrying Bags for rotatable masts (manually extended)

Carrying Bag Models	Cat. No.
CSFT-R3-3/H Bag	30220/SG
CSFT-R4-4/H Bag	30221/SG
CSFT-R5-5/H Bag	30222/SG
CSFT-R6-6/H Bag	30222/SG

CLARK MASTS™

All details given in this publication are approximate and may be subject to change without notice.

Dealer :

ClarkMast-USA, LLC

2347 Romig Rd.,

Pottstown, PA 19464, USA

Phone: 1-610-804-7938

E-mail: sales@clarkmasts-usa.com

CLARK MASTS TEKSAM NV, Woudstraat 21, B-3600 Genk, Belgium

Tel : +32 (0)89 38 44 72 - Fax : +32 (0)89 38 61 41 - E-mail : info@teksam.be - Website : www.clarkmasts.be

Clark Masts is a division of Clark Masts Teksam NV

PP 2226/E NV-USA MM 11/05/12